


avidsen



HELPLINE




WARRANTY



CONTROL YOUR COMFORT WITH PRECISION

Enjoy optimum thermal comfort with Aidsen's smart programmable thermostat. Easy to install and use, it allows you to adjust the temperature to within 0.5°C, for heating perfectly suited to your everyday life. Set up to six time slots per day over a full week to maximise your comfort whilst keeping your energy consumption under control. Compatible with the Aidsen Home ecosystem, it can be paired with other connected devices for smart heating control.





Weekly programming



Precise control



Savings



Easy to install



Child safety



PRODUCT BENEFITS

Tailor-made comfort for everyday life

Enjoy the perfect temperature at any time thanks to the weekly programme: easily manage your boiler or air conditioning with up to six time slots per day, for comfort tailored to your lifestyle.

Quick and easy installation

Connect the thermostat to your boiler with ease thanks to intuitive wiring.

For power supply, choose between 3 AAA batteries or a 5 V USB-C cable (neither of which is included), so you can easily tailor the setup to your needs.

Lastly, use the mounting screws supplied to mount your thermostat to the wall.

Take control of your energy consumption

Thanks to smart programming, you can adjust the temperature in your home to suit your lifestyle and avoid unnecessary heating costs. Its 0.5°C setting accuracy ensures optimum comfort whilst helping save energy on a day-to-day basis.

COMPARISON

	Easy to install	Comfortable	Economical
No thermostat	* * *	*	*
Standard thermostat	* *	* * *	* *
Smart thermostat	* *	* * *	* * *

Runs with the app



aidsen Home



Runs with voice assistants




TECHNICAL FEATURES



Type of programming	Weekly (6 time slots)
Mode	Frost protection
Power supply	4.5 V, 3 AAA batteries (not included) or via 5 V DC USB-C port (cable not included)
Low battery indicator	Yes
Adjustable temperature range	5°C - 35°C
Temperature range displayed	0°C - 99°C
Dimensions	133 x 86 x 30 mm
Max contact current	2 A (dry contact)
Accuracy	+/- 1°C

WIRING DIAGRAM

Connection diagram



KIT CONTENTS

- 1 wired smart programmable thermostat
- 2 mounting screws
- 1 quick installation guide

