



PHILIPS

WelcomeEyeConnect DES 9900 VDP

Permanently connected 7" touchscreen video door phone with high quality images



With its stylish design and ultra flat 7" colour touchscreen, the Philips Welcome Eye Connect video door phone is a product that's easy to live with. Connected to its intercom panel via 2 wires, this video door phone will become an essential accessory in your everyday life. Tap its touchscreen to access its different functions: view and talk to your visitors, control door and motorized gate opening, etc. You can control door opening using the RFID badges, as well as view your visitors remotely using your smartphone. If you are not at home, Welcome Eye Connect saves images of your visitors.



-
-
-
-
-
-
-
-
-
-

+ product



- Quick and easy 2-wire installation between the intercom panel and the monitor
- Greet and open the door to your visitors from both within your home and using your smartphone
- Excellent image quality and very wide viewing angle (130°)
- RFID access control built into the intercom panel to open the strike plate and gate using your RFID badge (max. 20 badges)
- Voicemail message function to inform visitors that you are not home
- Saves photos of visitors to the internal memory and video function on microSD card (not included)
- Monitoring function to easily keep an eye on your doorway
- Intercommunication function between monitors in the same family
- Upgradeable two-family platform of up to 3 screens, 2 intercom panels and 1 camera per family
- Twin controls for the lock AND gate
- Colour night vision
- Nameplate and illuminated button
- Intercom panel and aluminium shield
- Polarity protect function to protect your video door phone against wiring faults





Contents of the kit:

- 1 7" touchscreen colour monitor with Wifi
- 1 intercom panel with built-in RFID option
- 1 aluminium waterproof shield
- 1 wall bracket for monitor
- 1 plug-in power supply
- 3 RFID badges (administrator)
- 2 RFID badges (user)



PHILIPS

Technical Data

		optional accessories
warranty	2 years	
wiring	2 wires	
max. distance	wired: 120 m (between the installation's 2 furthest components) Wifi: requires a 2.4 GHz (IEEE 8111 b/g/n) Wifi network that is accessible from where your monitor is installed	
controls	lock AND gate	
bell	6 melodies sound level: 85 dB	
screen features	diagonal: 7" (18 cm) resolution: 800 x 480 px external memory: microSD card (not included), max. 32 GB Wifi: 2.4 GHz IEEE 8111 b/g/n mounting: wall	 WelcomeEye AddComfort 7" additional monitor
intercom panel features	sensor: C-MOS colour 900TVL viewing angle: H130°/V90° lens: not adjustable night vision: white LEDs (2.5 m) illuminated call button: Yes illuminated name plate: Yes strike plate control: 12 V/1.0 A max. gate control: breaking capacity: 12 V/2 A max. RFID: 125 kHz - 20 badges max. mounting: surface mounted	 WelcomeEye AddCompact Compact 4.3" additional monitor  WelcomeEye Outdoor Additional intercom panel
smartphone compatibility	application: WelcomeEye (requires a smartphone with a network connection (3G/4G/Wifi)) OS compatibility: Android (v4.4 or later/iOS (7 or later)) notification: PUSH if a visitor calls	 WelcomeEye Cam Additional camera
settings	colour + brightness + contrast + bell volume	
finish	monitor: black plastic and aluminium intercom panel: black aluminium and aluminium	 WelcomeEye Lock Low-energy electric strike plate
electrical features	24V DC / 550 mA / 13.2 W	 WelcomeEye Power modular power supply
electrical connection	plug-in power supply (included)	
operating temperature	-15°C / +50°C	
use	monitor: indoors intercom panel: outdoors (IP44)	
single product features	monitor dimensions: 142 (h) x 210 (w) x 15 (d) mm intercom panel dimensions: 168 (h) x 82 (w) x 38 (d) mm weight: 0,89 kg	
kit features	dimensions: 210 (h) x 315 (w) x 78 (d) mm weight: 1,31 kg	
standard and certification	CE, RoHS, REACH	

