

# PHILIPS

## Additional monitor for **WelcomeEye Connect 3** DES 9930 DDE

Additional monitor to complete the installation of your Philips WelcomeEye Connect 3 videophone



Incomparable image quality



### COMPLETE THE INSTALLATION OF YOUR PHILIPS WELCOME EYE CONNECT 3 VIDEOPHONE

The additional monitor for **Philips WelcomeEye Connect 3** videophone offers you two options: you can add a second spot in the home from where you can answer your visitors and possibly let them in. Place this additional monitor upstairs, in a wing of the house, a separate garage or workshop... Furthermore, you can equip a second home the entrance of which is shared with the first. In this case, the intercom panel is split into two and allows the visitor to call either one of the homes. Please note that you can use up to three monitors per home, i.e. a total of six monitors for two homes equipped with **Philips WelcomeEye Connect 3**. Lastly, when you have two monitors in the same home, make the most of the intercom function.



# + product benefits

## Incomparable visual quality

3K

- Incomparable image quality at 3K (2592 x 1944 pixels)



## Brand new features

- **Emergency call:** for example, if they need to, children or senior citizens can call users of the mobile application directly from the monitor.
- A **proximity sensor** integrated into the screen: your monitor detects you when you walk in front of it. No action required, the screen wakes up and your videophone menu is displayed.




## Easy installation


- The simplest installation on the market: the monitor is fitted with a sophisticated anchoring plate for wiring and installing the monitor without having to hold it in your hands.
- Two wires are used for installation between the additional monitor and the main monitor; the Polarity Protect feature protects your videophone against wiring errors.



# Technical features

		Optional accessories
Warranty	3 years	 <p><b>WelcomeEye Power</b> 24 V modular power supply Ref. 531010</p>
Wiring	2-wire digital BUS	
Max. distance	Wired: 120 m (between the 2 parts farthest from the installation)	
Control	Lock and gate	
Doorbell melody	6 melodies Sound level: 85 dB	
Screen features	Diagonal: 7" (18 cm) Resolution: 1024 x 600 px Internal memory included in the screen Mounting: wall	
Settings	Colour + brightness + contrast + ringtone volume + 2 customisable MP3 ringtones from the mobile application	
Finish	70% recycled plastic and glass	
Electrical features	24 V DC - Maximum power consumption 24 W in operation, 5 W maximum in standby	
Electrical connection	Plug-in power supply (included)	
Operating temperature	-15°C / +50°C	
Use	Indoor	
Single product features	132 (h.) x 190 (w.) x 18 (d.) mm anchor plate included Weight: 550 g	
Kit features	Dimensions: 210 (H) x 150 (W) x 70 (D) mm Weight: 640 g	
Standard and certification	CE, RoHS, REACH	

## Wiring diagram



## Kit contents

- 1 x 7" WiFi touchscreen colour monitor
- 1 monitor wall bracket
- 1 plug-in power supply (+ UK adaptor)

