



EXT3L

Remote control for roller shutter module

433 MHz



SIMPLIFY YOUR DAILY ROUTINE

Control your roller shutter modules (ref. 701101 and 701102, not included) with this Extel Casa remote control, which allows you to pair several modules for fully centralised control, or to add one remote control per module to your system. With its 4 buttons, it raises or lowers the shutters and allows you to programme two customised closure levels to suit your preferences.

** Up to 50 metres in open space



HOTLINE

2
YEARS

WARRANTY

CASA



MULTI-PURPOSE

- Comfort for everyday use: control your roller shutters effortlessly.
- The box mounts to the wall, but the remote control remains detachable thanks to its magnetic back.
- 433.92 MHz radio control of the modules (ref. 701101 or 701102, not included).
- 4-button remote control: raise and lower the shutters, plus 2 programmable buttons for two customised closure levels. Scene example: create a "70% shutter closure level" scenario



IDEAS FOR USE AT HOME...


Control the roller shutters in the living room, bedroom or kitchen effortlessly using a remote control.

Operate a motorised garage door controllable by dry contact using the remote control.



HOW DOES IT WORK?

Open and close the shutters using the remote control.



Setting up a scene

Using the "Up" and "Down" buttons on the remote control, set the shutters to the desired opening, e.g. halfway (50%). Once the position has been set, press and hold the "Scene 1" button for 3 seconds to save this position. An indicator light on the remote control confirms that the position has been saved.


To use this position again, simply press the "Scene 1" button. The shutters will move automatically to the saved position (in this case, 50% open).



* Module not included in the kit

COMPLETE YOUR INSTALLATION WITH THE RANGE **EXT3L** CASA

Simply control your lighting and electrical appliances... from a remote control!
Find out about our full range on our website www.avidsen.com and discover how to make your home easier and more intuitive.



TECHNICAL SPECIFICATIONS - REMOTE CONTROL

DISTANCE	50 m in open space
FREQUENCY	433.92 MHZ
MAX RADIO POWER	ERP 10 dBm
USE	Indoor
INSTALLATION	Wall
CONTROL	1 Up button, 1 Down button and 2 scene buttons
POWER SUPPLY	Runs on one 3 V CR2032 battery (included).
REMOTE CONTROL DIMENSIONS	Height 110 mm x Width 60 mm x Thickness 14 mm
WEIGHT	60 g
OPERATING TEMPERATURE RANGE	0 to 35°C
STANDARD AND CERTIFICATION	CE, RoHS



PRODUCT CONTENT

- 1 remote control (CR2032 battery included)
- Installation kit


CASA

REF. 701104



3345117011042

EXT3L



Photographs and illustrations not contractually binding / ©AdobeStock.com / Extel is a brand of the Avidsen group.
Avidsen reserves the right to change the technical specifications, dimensions and colours of the products in the current offer without notice. © Extel France 2026